



Sequence Listing

<110>Siler-Khodr, Theresa M.

<120>Non-Mammalian GnRH Analogs and Uses Thereof in Regulation of Fertility and Pregnancy

<130>P7345.2 (CIP) 6

<140>US 10/820,477

<141>2004-04-08

<150>US 10/639,405

<151> 2003-08-12

<160>16

<210>1

<211>30

<212>DNA

<213>Gallus gallus (Chicken II GnRH)

<400>1

cagcactgggt cccatggctg gtaccctgga 30

<210>2

<211>10

<212>PRT

<213>Unknown

<220>

<221>mat\_peptide

<222>6

<223>Chicken II GnRH Analog. MOD\_RES substitution of Gly residue at 10 by aza-Gly-NH<sub>2</sub>, ethylamide or other Gly amide. Xaa represents D-Arg, D-Leu, D-tBu-Ser, or D-Trp. MOD\_RES Glu at position 1 is pyroglutamic acid.

<400>2

Glu His Trp Ser His Xaa Trp Tyr Pro Gly  
5 10

<210>3

<211>30

<212>DNA

<213>Salmo salar (Salmon GnRH)

<400>3

cagcactgggt cttatggctg gctgcctgga 30

<210>4

<211>10

<212>PRT

<213>Unknown

<220>  
<221>mat\_peptide  
<222>6  
<223>Salmon GnRH Analog. MOD\_RES substitution of Gly residue  
at 10 with aza-Gly-NH2, ethylamide or other Gly amide. Xaa represents  
D-Arg. MOD\_RES Glu at position 1 is pyroglutamic acid.

<400>4  
Glu His Trp Ser Tyr Xaa Trp Leu Pro Gly  
                  5                  10

<210>5  
<211>10  
<212>PRT  
<213>Homo sapiens (Mammalian GnRH)

<220>  
<221>mat\_peptide  
<222>unknown  
<223>MOD\_RES Glu at position 1 is pyroglutamic acid.

<400>5  
Glu His Trp Ser Tyr Gly Leu Arg Pro Gly  
                  5                  10

<210>6  
<211>10  
<212>PRT  
<213>Gallus gallus (Chicken II GnRH)

<220>  
<221>mat\_peptide  
<222>Within brain mRNA 121-150, within brain gene 2174-2203  
<223>MOD\_RES Glu at position 1 is pyroglutamic acid.

<400>6  
Glu His Trp Ser His Gly Trp Tyr Pro Gly  
                  5                  10

<210>7  
<211>10  
<212>PRT  
<213>Salmo salar (Salmon GnRH)

<220>  
<221>mat\_peptide  
<222>unknown  
<223>MOD\_RES Glu at position 1 is pyroglutamic acid

<400>7  
Glu His Trp Ser Tyr Gly Trp Leu Pro Gly  
                  5                  10

<210>8  
<211>30  
<212>RNA  
<213>Gallus gallus (Chicken II GnRH)

<400>8

gucgugacca ggguaaccgac caugggaccu 30

<210>9

<211>30

<212>RNA

<213>Salmo salar (Salmon GnRH)

<400>9

gucgugacca gaauaccgac cgacggaccu 30

<210>10

<211>9

<212>PRT

<213>Unknown

<220>

<221>mat\_peptide

<222>6

<223> Buserelin. MOD\_RES Glu at position 1 is pyroglutamic acid.  
XAA represents D-Ser (t-Bu). MOD\_RES PRO residue at 9 bound to  
ethylamide.

<400>10

Glu His Trp Ser Tyr Xaa Leu Arg Pro

5

<210>11

<211>9

<212>PRT

<213>Unknown

<220>

<221>mat\_peptide

<222>6

<223> Leuprolide. MOD\_RES Glu at position 1 is pyroglutamic acid.  
Xaa represents D-Leu. MOD\_RES Pro residue at 9 bound to ethylamide.

<400>11

Glu His Trp Ser Tyr Xaa Leu Arg Pro

5

<210>12

<211>10

<212>PRT

<213>Unknown

<220>

<221>mat\_peptide

<222>1,2,3,5,6,8,10

<223>Antide. Xaa 1 is Ac-D-NaI, Xaa2 is D-Cpa, Xaa3 is D-Pal, Xaa5 is NicLys,  
Xaa6 is D-NicLys, Xaa8 is ILys, Xaa10 is D-Ala.

<400>12

Xaa Xaa Xaa Ser Xaa Xaa Leu Xaa Pro Xaa  
5 10

<210>13

<211>10

<212>PRT

<213>Gallus gallus (Chicken I GnRH)

<220>

<221>mat\_peptide

<222>unknown

<223>MOD\_RES Glu at position 1 is pyroglutamic acid.

<400>13

Glu His Trp Ser Tyr Gly Leu Gln Pro Gly  
5 10

<210>14

<211>10

<212>PRT

<213>Lampetra genus (Lamprey GnRH)

<220>

<221>mat\_peptide

<222>unknown

<223>MOD\_RES Glu at position 1 is pyroglutamic acid.

<400>14

Glu His Tyr Ser Leu Glu Trp Lys Pro Gly  
5 10

<210>15

<211>30

<212>DNA

<213>Clupea harengus (Herring GnRH)

<400>15

cagcactggt cttatggctg gctgcctgga 30

<210>16

<211>10

<212>PRT

<213>Unknown

<220>

<221>mat\_peptide

<222>6

<223>Herring GnRH Analog. MOD\_RES substitution of Gly residue at 10 with aza-Gly-NH<sub>2</sub>, ethylamide or other Gly amide. Xaa represents D-Arg. MOD\_RES Glu at position 1 is pyroglutamic acid.

<400>16

Glu His Trp Ser Tyr Xaa Leu Ser Pro Gly  
5 10